



EL "BASIC" SERIES 4-CELL PLATFORMS



Monobloc electronic platforms suitable for weighing in all types of industrial and commercial applications. Standard version is with approved load cell.

MAIN FEATURES

- Fitted with 4 shear-beam stainless steel approved load cells and according to OIML R60 standards and IP68 protection from dust and water sprays.
- Monobloc steel tubular structure with fixed sheet-steel chequered loading surface.
- Junction box inspectionable through side drawer.
- Oven-fire painted RAL 5007 blue.
- Adjustable, stainless steel shock-proof jointed feet and level.
- Up to 15 Vdc power supply.
- Shielded 5m long 6-pin cable with connectors for connection to the indicator.

OPTIONS ONLY AVAILABLE AT TIME OF ORDER

- Connection to the indicator and calibration with CE-M 3000e single range or 3000e+3000e dual range approval (depending on indicators used)
- Models with special sizes and capacities (ask for estimate).

ACCESSORIES

- Indicator support stand.
- Pit frame for flush floor installation.

Mod./Dim.	L	P	H	A	B	F
ELC	800	800	90	650	650	75
ELA	1000	1000	90	850	850	75
ELB	1250	1250	90	1070	1070	75
ELD	1250	1500	110	1070	1320	75
ELE	1500	1500	110	1320	1320	75

dimensions in mm

Available versions

Code	Dimensions (LxPxH)	Nr. of cells	Max Capacity kg	Standard Division g	CE-M Division g (*)	CE-M2 Division g (*)	HR Division g (*)
ELC3	800x800x90	4x300kg	300	50	100	--	20
ELC6	800x800x90	4x500kg	600	100	200	100-200	50
ELC15	800x800x90	4x1000kg	1500	200	500	200-500	100
ELA3	1000x1000x90	4x300kg	300	50	100	--	20
ELA6	1000x1000x90	4x500kg	600	100	200	100-200	50
ELA15	1000x1000x90	4x1000kg	1500	200	500	200-500	100
ELB3	1250x1250x90	4x300kg	300	50	100	--	20
ELB6	1250x1250x90	4x500kg	600	100	200	100-200	50
ELB15	1250x1250x90	4x1000kg	1500	200	500	200-500	100
ELD6	1250x1500x110	4x500kg	600	100	200	100-200	50
ELD15	1250x1500x110	4x1000kg	1500	200	500	200-500	100
ELD30	1250x1500x110	4x2000kg	3000	500	1000	500-1000	200
ELE6	1500x1500x110	4x500kg	600	100	200	100-200	50
ELE15	1500x1500x110	4x1000kg	1500	200	500	200-500	100
ELE30	1500x1500x110	4x2000kg	3000	500	1000	500-1000	200

(*) These divisions are obtainable only with the relative options

Options only available at time of order

Code	Description
ECEM1B	CE-M 3000e approval for class III or IIII scales, with capacity from 31 to 1500 kg.
ECEM2B	CE-M 2x3000e approval for class III or IIII scales, with capacity from 31 to 1500 kg.
ECEM1C	CE-M 3000e approval for class III or IIII scales, with capacity from 1501 to 6000 kg.
ECEM2C	CE-M 2x3000e approval for class III or IIII scales, with capacity from 1501 to 6000 kg.
ETHR	High resolution model for internal factory use.

Accessories

Code	Description
CSP38I	Stainless steel support column for the indicators of the DINI ARGEO and SCALE HOUSE range. Dimensions 520 x 527 mm, 1026 mm high, tubular Ø = 38 mm.
CSP38D	Stainless steel support column with painted steel base, for the indicators of the DINI ARGEO and SCALE HOUSE range. Dimensions 350x350 mm, height 750 mm.
ETATF	Frame for flush floor installation for 1000x1000 mm platforms.
ETMTF	Frame for flush floor installation for 1000x1250 mm platforms.
ETBTF	Frame for flush floor installation for 1250x1250 mm platforms.
ETDTF	Frame for flush floor installation for 1250x1500 mm platforms.
ETETF	Frame for flush floor installation for 1500x1500 mm platforms.
ETAR	Access ramp in painted steel, 1000x900 mm, for 1000x1000 mm and 1000x1250 mm platforms.
ETBR	Access ramp in painted steel, 1250x900 mm, for 1250x1250 mm platforms.
ETDR	Access ramp in painted steel, 1250x1100 mm for 1250x1500 mm platforms.
ETER	Access ramp in painted steel, 1500x1100 mm, for 1500x1500 mm platforms.
ETPFI	Kit of 4 plates for fixing on the floor, in stainless steel, for platforms ELC, ETA, ELA, ETM, ETB, ETD, ELD, ETE, ELE, and ETF series.