


FLP SERIES LOW PROFILE PLATFORMS



IP67

CE M 3000e

Low profile platforms, with painted steel structure and chequered load surface. Ideal for weighing trolleys and pallet trucks thanks to the on/off ramps on both sides as well as the sideboards. The standard version is provided with approved load cells.

TECHNICAL FEATURES

- Fitted with 4 shear-beam 3500hm nickel-plated steel load cells, approved according to OIML R60 C3 standards (3000 divisions), IP67 protection degree.
- Chequered steel structure and load surface, oven-fire painted, RAL 5007 blue.
- Adjustable, anti-shock jointed feet and level.
- Power supply from 5 to 15 Vdc.
- Hermetic junction box, IP67 wiring with screened 5m long cable for connection to the indicator.
- Fitted with sideboards and double on/off ramps.
- Upon request:
 - 3000e CE-M approval;
 - support column for indicator.

DIMENSIONS

- Dimensions in mm of the loading surface:

Mod./Dim.	A	B	L	P	H
FLPA	1950	1425	1000	1250	52
FLPB	2200	1675	1250	1500	52

Weighing platform: Available versions

Code	Dimensions (LxPxH)	Max Capacity kg	Division kg	CE-M Division kg
FLPA	1000x1250x52	3000	1	1
FLPB	1250x1500x52	3000	1	1

(*) CE-M divisions are obtainable only with the relative options.

Weight Indicators and Accessories

Code	Description
DFWL	Multifunction weight indicator with ABS case, 5-key keypad and LCD backlit display.
DFWLI	Multifunction weight indicator, in IP68 stainless steel, with 5-key easy to use keypad.
DFWLKI	Multifunction weight indicator, in IP68 stainless steel, with 17-key easy to use keypad.
AFW	Multifunction weight indicator in ABS, with LCD display having 6 high contrast 24mm digits, power supply through built-in rechargeable battery
ILW	Multifunction weight indicator in ABS, with LCD display having 6 high contrast 52mm digits, power supply through built-in rechargeable battery
CSP42I	Stainless steel support column for the DFW, 3590, TRS series' indicators. Dimensions 520 x 527 mm, 1026 mm high, tubular Ø = 42 mm.
CSP38I	Stainless steel support column for the indicators of the SCALE HOUSE range. Dimensions 520 x 527 mm, 1026 mm high, tubular Ø = 38 mm.
CSP38D	Stainless steel support column with painted steel base, for the indicators of the DINI ARGEO range. Column height 750 mm.
CSP38SH	Stainless steel support column with painted steel base, for the indicators of the SCALE HOUSE range. Column height 750 mm.

Configuration Example

FLPA platform, connected to the DFWL indicator installed on the CSP42I column and the DFTL control, for use the scale at distance.

