

KSB2FI

"KSBFI": STAINLESS STEEL FEET FOR SBxx LOAD CELLS UP TO 2500kg



Stainless steel semi-articulated feet designed in order to obtain the best weighing performances, particularly suitable for creating scales with 4 load cells. Extremely compact and easy to install, the feet minimize the height of the platform and ensure a perfect decoupling of the lateral forces during the weighing operation.

Working in cooperation with:

SC DATA SPEED SRL

STR DONATH N. 115/33 - 400331 - JUD. CLUJ
Tel. 0040-264566473 Fax. 0040-364-815440
office@cantare.com.ro

The best solution
for advanced industrial
applications

MAIN FEATURES

- Applicable on SBK and SBX load cells up to 2500kg.
- Designed especially for use on 4-cell platforms.
- Perfect decoupling of the lateral forces during the weighing operation.
- Extremely compact and simple to install, minimizing the height of the platform.
- Adjustable height.
- Completely AISI304 stainless steel construction.
- Non-slip rubber built into the base of the foot.
- Fitted with anti-vibration gasket.
- Fitted with adjustable locking.



www.diniargeo.com



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
Nogent-sur-Marne

DINI ARGEO
GMBH
Sinsheim - Germany

DINI ARGEO
UK Ltd
Taunton - United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
Shanghai - China

DINI ARGEO
WEIGHBRIDGES
Calto (RO) – Italy



HEAD OFFICE
Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy



SC DATA SPEED SRL

STR DONATH N. 115/33 - 400331 - JUD. CLUJ

Tel. 0040-264566473 Fax. 0040-364-815440

office@cantare.com.ro

SALES AND TECHNICAL ASSISTANCE SERVICE