

HLD 1500_6000

HLD SERIES TECHNICAL PRECISION "TOP-LOADING" SCALE



**SCALE
HOUSE**
electronic weighing

Multifunctional scale, suitable for laboratory and industrial use. Available also CE-M APPROVED for legal for trade use.

DIVISION (g): from 0.02 to 0.1. CAPACITY (g):
1500, 3000, 6000.

Working in cooperation with:

SC DATA SPEED SRL

STR DONATH N. 115/33 - 400331 - JUD. CLUJ
Tel. 0040-264566473 Fax. 0040-364-815440
office@cantare.com.ro

The best solution
for advanced industrial
applications

TECHNICAL FEATURES

- Backlit LCD display with 7 digits 16mm high.
- Waterproof membrane keypad, with acoustic feedback, with 7 keys.
- Stainless steel plate, size: 140x150mm.
- Level and adjustable feet.
- Built-in rechargeable battery (about 30h battery life) and 230 Vac mains power adapter.
- RS232/c port for connection to PC or printer.
- Packaging: 370x240x250mm size - approximate weight of 2,7kg.
- Upon request:
 - ACCREDIA calibration with issuing of relative certificate
 - CE-M approval.

FUNCTIONS

- counting;
- % weight;
- weight totalisation;
- conversion up to 13 units of measure;
- zeroing;
- zero tracking;
- semi-automatic tare;
- digital calibration;
- backlight command;
- low battery warning.

COUNTING FEATURES

- Internal sensitivity and minimum recommended A.P.W.:

Model	HLD1500	HLD3000	HLD6000
Internal sensitivity g	0,0025	0,005	0,014
Min. recommended A.P.W. g	0,02	0,05	0,1

VERSIONS

Versioni disponibili

Codice	Max (g)	d (g)	M (g) *	Linearità (g) +/-
HLD1500	1500	0,02	0,2	0,04
HLD3000	3000	0,05	0,5	0,1
HLD6000	6000	0,1	1	0,2

(*) Divisioni CE-M ottenibili solo con le relative opzioni.



www.diniargeo.com



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
Nogent-sur-Marne

DINI ARGEO
GMBH
Sinsheim - Germany

DINI ARGEO
UK Ltd
Taunton - United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
Shanghai - China

DINI ARGEO
WEIGHBRIDGES
Calto (RO) – Italy



HEAD OFFICE
Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy



SC DATA SPEED SRL

STR DONATH N. 115/33 - 400331 - JUD. CLUJ

Tel. 0040-264566473 Fax. 0040-364-815440

office@cantare.com.ro

SALES AND TECHNICAL ASSISTANCE SERVICE