


## T-C6

### "T - C6" SERIES - 6000 DIVISIONS SINGLE CELL PLATFORMS



Small and medium capacity electronic platforms with a AISI304 stainless steel surface having a precise and sturdy structure, suitable for creating scales and automatic weight checking systems for all industrial and commercial applications. Standard version is with C6 6000 DIVISIONS approved load cell.

Working in cooperation with:

**SC DATA SPEED SRL**

STR DONATH N. 115/33 - 400331 - JUD. CLUJ  
Tel. 0040-264566473 Fax. 0040-364-815440  
office@cantare.com.ro

The best solution  
for advanced industrial  
applications

## MAIN FEATURES


- Functions with a C6 6000e approved aluminium “single point” load cell according to OIML R60 standards with protection against dust and water splashes according to IP65 standards (350 Ohm input resistance).
- Steel tubular structure, oven-fire painted blue, with adjustable resting feet and level.
- Fitted with satined AISI 304 stainless steel loading surface.
- Up to 15 Vdc power supply.
- Shielded 3m connection cable with connectors for connection to the indicator.
- Special sizes and capacities (upon estimate).

## OPTIONS FOR ATEX VERSION

- CCATEX: ATEX certificate for each load cell
- DCATEX2GD: Declaration of ATEX conformity of whole PLATFORM + ATEX 2GD DINI ARGEO INDICATOR
- DCATEX3GD: Declaration of ATEX conformity of whole PLATFORM + ATEX 3GD DINI ARGEO INDICATOR

## SUPPORT BRACKETS AND COLUMNS


- Example of use with bracket, attached column or floor column.



## AVAILABLE UPON PRICE ESTIMATE

- Special sizes and capacities

## DETAIL 1



"T-C6" series platforms: dimensions (see the version table)

## VERSIONS

### Versioni disponibili

Codice	l x w x h (mm)	Max (kg)	d (g)	<b>M</b> (g)*	<b>M</b> 2R (g)*	d HR (g)*
TS3C6	230x330x93	3	0,5	0,5	--	0,1
TS6C6	230x330x93	6	1	1	0,5/1	0,2
TS12C6	230x330x93	12	2	2	1/2	0,5
TT6C6	330x330x93	6	1	1	0,5/1	0,2
TT12C6	330x330x93	12	2	2	1/2	0,5
TT30C6	330x330x93	30	5	5	2/5	1
TQ30C6	400x400x110	30	5	5	2/5	1

(\*) Queste divisioni sono ottenibili solo con le relative opzioni



[www.diniargeo.com](http://www.diniargeo.com)



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

**DINI ARGEO**  
**FRANCE sarl**  
Nogent-sur-Marne

**DINI ARGEO**  
**GMBH**  
Sinsheim - Germany

**DINI ARGEO**  
**UK Ltd**  
Taunton - United Kingdom

**DINI ARGEO WEIGHING**  
**INSTRUMENTS Ltd**  
Shanghai - China

**DINI ARGEO**  
**WEIGHBRIDGES**  
Calto (RO) – Italy



**HEAD OFFICE**  
Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena - Italy



**SC DATA SPEED SRL**

STR DONATH N. 115/33 - 400331 - JUD. CLUJ

Tel. 0040-264566473 Fax. 0040-364-815440

[office@cantare.com.ro](mailto:office@cantare.com.ro)

**SALES AND TECHNICAL ASSISTANCE SERVICE**